## 2015 Consumer Confidence Report

water System Name:	Llano Mutual Water Co. #1900303	Report Date:	6/20/2016
We test the drinking we the results of our monitor	ater quality for many constituents as required to oring for the period of January 1 - December 3	by state and feder 1, 2015 and may i	al regulations. This report shows
	información muy importante sobre su agua		
Type of water source(s)	in use: Wells (Purchased water from Llano	del Rio Water Co	
	on of source(s): LDR Wells 3 & 5		
Drinking Water Source	Assessment information:		
Time and place of regul	arly scheduled board meetings for public partic	ipation:	
For more information, c	contact: James Lombardi	Phone: 6	561 944 2939

#### TERMS USED IN THIS REPORT

Maximum Contaminant Level (MCL): The highest level of a contaminant that is allowed in drinking water. Primary MCLs are set as close to the PHGs (or MCLGs) as is economically and technologically feasible. Secondary MCLs are set to protect the odor, taste, and appearance of drinking water.

Maximum Contaminant Level Goal (MCLG): The level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs are set by the U.S. Environmental Protection Agency (USEPA).

Public Health Goal (PHG): The level of a contaminant in drinking water below which there is no known or expected risk to health. PHGs are set by the California Environmental Protection Agency.

Maximum Residual Disinfectant Level (MRDL): The highest level of a disinfectant allowed in drinking water. There is convincing evidence that addition of a disinfectant is necessary for control of microbial contaminants.

Maximum Residual Disinfectant Level Goal (MRDLG): The level of a drinking water disinfectant below which there is no known or expected risk to health. MRDLGs do not reflect the benefits of the use of disinfectants to control microbial contaminants.

Primary Drinking Water Standards (PDWS): MCLs and MRDLs for contaminants that affect health along with their monitoring and reporting requirements, and water treatment requirements.

Secondary Drinking Water Standards (SDWS): MCLs for contaminants that affect taste, odor, or appearance of the drinking water. Contaminants with SDWSs do not affect the health at the MCL levels.

Treatment Technique (TT): A required process intended to reduce the level of a contaminant in drinking water.

Regulatory Action Level (AL): The concentration of a contaminant which, if exceeded, triggers treatment or other requirements that a water system must follow.

Variances and Exemptions: State Board permission to exceed an MCL or not comply with a treatment technique under certain conditions.

ND: not detectable at testing limit

ppm: parts per million or milligrams per liter (mg/L)

ppb: parts per billion or micrograms per liter (µg/L)

ppt: parts per trillion or nanograms per liter (ng/L)

ppq: parts per quadrillion or picogram per liter (pg/L)

pCi/L: picocuries per liter (a measure of radiation)

The sources of drinking water (both tap water and bottled water) include rivers, lakes, streams, ponds, reservoirs, springs, and wells. As water travels over the surface of the land or through the ground, it dissolves naturally-occurring minerals and, in some cases, radioactive material, and can pick up substances resulting from the presence of animals or from human activity.

Contaminants that may be present in source water include:

- Microbial contaminants, such as viruses and bacteria, that may come from sewage treatment plants, septic systems, agricultural livestock operations, and wildlife.
- *Inorganic contaminants*, such as salts and metals, that can be naturally-occurring or result from urban stormwater runoff, industrial or domestic wastewater discharges, oil and gas production, mining, or farming.
- Pesticides and herbicides, that may come from a variety of sources such as agriculture, urban stormwater runoff, and residential uses.
- Organic chemical contaminants, including synthetic and volatile organic chemicals, that are by-products of industrial processes and petroleum production, and can also come from gas stations, urban stormwater runoff, agricultural application, and septic systems.
- Radioactive contaminants, that can be naturally-occurring or be the result of oil and gas production and mining activities.

In order to ensure that tap water is safe to drink, the USEPA and the State Water Resources Control Board (State Board) prescribe regulations that limit the amount of certain contaminants in water provided by public water systems. State Board regulations also establish limits for contaminants in bottled water that provide the same protection for public health.

Tables 1, 2, 3, 4, 5, 7, and 8 list all of the drinking water contaminants that were detected during the most recent sampling for the constituent. The presence of these contaminants in the water does not necessarily indicate that the water poses a health risk. The State Board allows us to monitor for certain contaminants less than once per year because the concentrations of these contaminants do not change frequently. Some of the data, though representative of the water quality, are more than one year old.

Microbiological Contaminants (complete if bacteria detected)	Highest No. of Detections	50000000000000000000000000000000000000	nonths in ation	М	CL	MCLG	Typical Source of Bacteria
Total Coliform Bacteria	(In a mo.)		0	More than 1 month with a		- 0	Naturally present in the environment
Fecal Coliform or E. coli	(In the year)		0	A routine sar repeat sampl total coliforr sample also coliform or h	e detect n and either detects fecal	0	Human and animal fecal waste
TABLE 2	- SAMPLIN	IG RESUI	TS SHOW	ING THE	DETECTION	ON OF LEA	D AND COPPER
Lead and Copper (complete if lead or copper detected in the last sample set)	Sample Date	No. of samples collected	90 <sup>th</sup> percentile level detected	No. sites exceeding. AL	AL	PHG	Typical Source of Contaminant
Lead (ppb)	8/25/15	10	ND	0	15	0.2	Internal corrosion of household water plumbing systems; discharges from industrial manufacturers; erosion of natural deposits
Copper (ppm)	8/25/15	10	.140	0	1.3	0.3	Internal corrosion of household plumbing systems; erosion of natural deposits; leaching from wood preservatives
	TABLE 3	-SAMPL	ING RESU	ILTS FOR S	SODIUM A	ND HARD	NESS
Chemical or Constituent (and reporting units)	Sample Date	Level Detecte	8. 1	Range of etections	MCL	PHG (MCLG)	Typical Source of Contaminant
Sodium (ppm)	6/11/13	22.5 pp		22-23	none	none	Salt present in the water and is generally naturally occurring
Hardness (ppm)	6/11/13	365 pp	m :	350-380	none	none	Sum of polyvalent cations present in the water, generally magnesium and calcium, and are usually naturally occurring

\*Any violation of an MCL or AL is asterisked. Additional information regarding the violation is provided later in this report.

TABLE 4 - DETECTION OF CONTAMINANTS WITH A PRIMARY DRINKING WATER STANDARD

Chemical or Constituent (and reporting units)	Sample Date	Level Detected	Range of Detections	MCL [MRDL]	PHG (MCLG) [MRDLG]	Typical Source of Contaminant
Fluoride	6/11/13	.34 mg/L	.3335	2 mg/L		Erosion of natural deposits
Nitrate (NO <sub>3</sub> )	5/12/15	6.25 mg/L	6.2-6.3	45 mg/L	10,200	Farm run-off and natural erosion
Nitrate & Nitrite	6/11/13	605 ug/L	550-660	10,000 ug/L		Farm run-off and natural erosion
Perchlorate	6/11/13	ND				
Asbestos	6/11/13	ND		NEW THOUSAN		
TABLE 5 – DETE	CTION OF	CONTAMINA	NTS WITH A S	ECONDAR	Y DRINKIN	G WATER STANDARD
Chemical or Constituent (and reporting units)	Sample Date	Level Detected	Range of Detections	MCL	PHG (MCLG)	Typical Source of Contaminant
Color	6/11/13	ND	ND	15	19 19 19 19 19 19 19 19 19 19 19 19 19 1	
		6 – DETECTION	OF UNREGU	LATED CO	NTAMINA	NTS
Chemical or Constituent (and reporting units)	Sample Date	Level Detected	Range of Detections		tion Level	Health Effects Language
Calcium -	6/11/13	96.5 mg/L	94-99		1/a	Erosion of natural deposits
Magnesium	6/11/13	31 mg/L	29-33	r	n/a	Erosion of natural deposits
Potassium	6/11/13	5.65 mg/L	5.5-5.8	r	ı/a	Erosion of natural deposits
Total Alkalinity	6/11/13	240 mg/L	240-250	r	ı/a	Erosion of natural deposits
Bicarbonate	6/11/13	305 mg/L	300-310	n	/a	Erosion of natural deposits
Sulfate	6/11/13	14 0 mg/L	130-150	n	/a	Erosion of natural deposits
Sulfate			130-150		/a /a	

<sup>\*</sup>Any violation of an MCL, MRDL, or TT is asterisked. Additional information regarding the violation is provided later in this report.

### Additional General Information on Drinking Water

Drinking water, including bottled water, may reasonably be expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that the water poses a health risk. More information about contaminants and potential health effects can be obtained by calling the USEPA's Safe Drinking Water Hotline (1-800-426-4791).

Some people may be more vulnerable to contaminants in drinking water than the general population. Immuno-compromised persons such as persons with cancer undergoing chemotherapy, persons who have undergone organ transplants, people with HIV/AIDS or other immune system disorders, some elderly, and infants can be particularly at risk from infections. These people should seek advice about drinking water from their health care providers. USEPA/Centers

for Disease Control (CDC) guidelines on appropriate means to lessen the risk of infection by *Cryptosporidium* and other microbial contaminants are available from the Safe Drinking Water Hotline (1-800-426-4791).

Lead-Specific Language for Community Water Systems: If present, elevated levels of lead can cause serious health problems, especially for pregnant women and young children. Lead in drinking water is primarily from materials and components associated with service lines and home plumbing. Llano Mutual Water Company is responsible for providing high quality drinking water, but cannot control the variety of materials used in plumbing components. When your water has been sitting for several hours, you can minimize the potential for lead exposure by flushing your tap for 30 seconds to 2 minutes before using water for drinking or cooking. If you do so, you may wish to collect the flushed water and reuse it for another beneficial purpose, such as watering plants. If you are concerned about lead in your water, you may wish to have your water tested. Information on lead in drinking water, testing methods, and steps you can take to minimize exposure is available from the Safe Drinking Water Hotline or at <a href="http://www.epa.gov/lead">http://www.epa.gov/lead</a>.

\*\*No contaminate detection that exceeded the MCL was found in 2015. We are in a mandated third cycle, 2<sup>nd</sup> period of a three-year testing from 2014-2016. Included in this report are the detected chemical levels for the present testing period. No bacteriological elements were detected in 2015

# Summary Information for Violation of a MCL, MRDL, AL, TT, or Monitoring and Reporting Requirement

Violation	Explanation	Duration	Actions Taken to Correct Health the Violation Lang	
None				

## For Water Systems Providing Ground Water as a Source of Drinking Water

FECAL	TABLE 7	' – SAMPLING POSITIVE GRO	RESULTS DUND WA	S SHOWING TER SOUR	CE SAMPLES
Microbiological Contaminants (complete if fecal-indicator detected)	Total No. of Detections	Sample Dates	MCL [MRDL]	PHG (MCLG) [MRDLG]	Typical Source of Contaminant
E. coli	(In the year) 0		0	(0)	Human and animal fecal waste
Enterococci	(In the year) 0		TT	n/a	Human and animal fecal waste
Coliphage	(In the year) 0		TT	n/a	Human and animal fecal waste

## Summary Information for Fecal Indicator-Positive Ground Water Source Samples, Uncorrected Significant Deficiencies, or Ground Water TT

NA	CE OF FECAL INDICATOR-POSITIVE GROUND WAT	ER SOURCE SAMPLE
The same of the sa	The state of the s	
SPEC	IAL NOTICE FOR UNCORRECTED SIGNIFICANT DEI	FICIENCIES
NA		

	VIOLA	TION OF GROUND WA	ATER TT	ON THE PROPERTY OF THE PROPERT
TT Violation	Explanation	Duration	Actions Taken to Correct the Violation	Health Effects Language
NA				

#### For Systems Providing Surface Water as a Source of Drinking Water

TABLE 8 - SAMPLING RESULTS SHOW	ING TREATMENT OF SURFACE WATER SOURCES
Treatment Technique <sup>(a)</sup> (Type of approved filtration technology used)	
Turbidity Performance Standards (b) (that must be met through the water treatment process)	Turbidity of the filtered water must:  1 – Be less than or equal to NTU in 95% of measurements in a month.  2 – Not exceed NTU for more than eight consecutive hours.  3 – Not exceed NTU at any time.
Lowest monthly percentage of samples that met Turbidity  Performance Standard No. 1.	Enter Maria and a second of the contract of th
Highest single turbidity measurement during the year	
Number of violations of any surface water treatment requirements	

#### Summary Information for Violation of a Surface Water TT

VIOLATION OF A SURFACE WATER TT							
TT Violation	Explanation	Duration	Actions Taken to Correct the Violation	Health Effects Language			
NA							

## Summary Information for Operating Under a Variance or Exemption

2015 SWS CCR Form Revised Jan 2016

<sup>(</sup>a) A required process intended to reduce the level of a contaminant in drinking water.

<sup>(</sup>b) Turbidity (measured in NTU) is a measurement of the cloudiness of water and is a good indicator of water quality and filtration performance. Turbidity results which meet performance standards are considered to be in compliance with filtration requirements.

<sup>\*</sup> Any violation of a TT is marked with an asterisk. Additional information regarding the violation is provided below.